ELSEVIER

Biomembranes

Vol. 1416, Nos. 1–2; 12 January 1999

BIOCHIMICA ET BIOPHYSICA ACTA

BBA

Contents

BBA is cited in: Current Contents/Life Sciences - Biological Abstracts - Chemical Abstracts - Index Chemicus - Index Medicus/MEDLINE - Cambridge Scientific Abstracts (CSA) - EMBASE/Excerpta Medica - Reference Update - Elsevier BIOBASE/Current Awareness in Biological Sciences

Information for Contributors vii

Regular papers

Factors influencing uptake and retention of amino-containing drugs in large unilamellar vesicles exhibiting transmembrane pH gradients
E. Maurer-Spurej, K.F. Wong, N. Maurer, D.B. Fenske and P.R. Cullis (Canada) 1

Palmitoylation of lung surfactant protein SP-C alters surface thermodynamics, but not protein secondary structure or orientation in 1,2-dipalmitoylphosphatidylcholine Langmuir films
C.R. Flach, A. Gericke, K.M.W. Keough and R. Mendelsohn (Canada, Germany, USA) 11

Surface charge response of the phosphatidylcholine head group in bilayered micelles from phosphorus and deuterium nuclear magnetic resonance
K.J. Crowell and P.M. Macdonald (Canada) 21

Different kinds of polypeptides and polypeptide-coated nanoparticles are accepted by the selective transcytosis shown in the rabbit nasal mucosa
D. Cremaschi, C. Porta and R. Ghirardelli (Italy) 31

Identification of particular epithelial areas and cells that transport polypeptide-coated nanoparticles in the nasal respiratory mucosa of the rabbit
R. Ghirardelli, F. Bonasoro, C. Porta and D. Cremaschi (Italy) 39

NMR structure of C-terminally tagged gramicidin channels
F. Separovic, S. Barker, M. Delahunty and R. Smith (Australia) 48

Enzymatic reactions in liposomes using the detergent-induced liposome loading method
T. Oberholzer, E. Meyer, I. Amato, A. Lustig and P.-A. Monnard (Switzerland) 57

Two-component blocking kinetics of open NMDA channels by organic cations
A.I. Sobolevsky (Russia) 69

Functional reconstitution of bacterially expressed human potassium channels in proteoliposomes: membrane potential measurements with JC-1 to assay ion channel activity
B. Chanda and M.K. Mathew (India) 92

Cleavage of annexin I in human neutrophils is mediated by a membrane-localized metalloprotease
C. Movitz, C. Sjölin and C. Dahlgren (Sweden) 101

Nucleobase transport in opossum kidney epithelial cells and *Xenopus laevis* oocytes: the characterisation, structure–activity relationship of uracil analogues and oocyte expression studies of sodium-dependent and -independent hypoxanthine uptake
M. Shayeghi, R. Akerman and S.M. Jarvis (UK) 109

Calorimetric and spectroscopic studies of the effects of cholesterol on the thermotropic phase behavior and organization of a homologous series of linear saturated phosphatidylethanolamine bilayers
T.P.W. McMullen, R.N.A.H. Lewis and R.N. McElhaney (Canada) 119

Determination by photoreduction of flip-flop kinetics of spin-labeled stearic acids across phospholipid bilayers
J.-M.P. Yuann and R.(P.D.II) Morse (USA) 135

Glucose transporter 3 (GLUT3) protein is present in human myocardium
M. Grover-McKay, S.A. Walsh and S.A. Thompson (USA) 145

Identification of 130 kDa cell surface LDL-binding protein from smooth muscle cells as a partially processed T-cadherin precursor
D.V. Stambolsky, Y.S. Kuzmenko, M.P. Philippova, V.N. Bochkov, Z.D. Bespalova, A.A. Azmuko, N.M. Kashirina, T.N. Vlasik, V.A. Tkachuk and T.J. Resink (Russia, Switzerland) 155

The amphipathic helix concept: length effects on ideally amphipathic $L_iK_j(i=2j)$ peptides to acquire optimal hemolytic activity
S. Castano, I. Cornut, K. Büttner, J.L. Dasseux and J. Dufourcq (France, Germany) 161

Structure, orientation and affinity for interfaces and lipids of ideally amphipathic lytic $L_iK_j(i=2j)$ peptides
S. Castano, B. Desbat, M. Laguerre and J. Dufourcq (France) 176

Activation of Na^+,K^+,Cl^- cotransport in squid giant axon by extracellular ions: evidence for ordered binding
A.A. Altamirano, G.E. Breitwieser and J.M. Russell (USA) 195

Structure-stabilizing effect of albumin on rat ovarian LH/hCG receptors
J. Kolena, M. Ježová, J. Vranová and S. Scsuková (Slovak Republic) 208

Effects of phosphorylation on the structure of the G-protein receptor rhodopsin
M. Dorey, P.A. Hargrave, J.H. McDowell, A. Arendt, T. Vogt, N. Bhawsar, A.D. Albert and P.L. Yeagle (USA) 217

Opposite β_2-glycoprotein I requirement for the binding of infectious and autoimmune antiphospholipid antibodies to cardiolipin liposomes is associated with antibody avidity
C.M. Celli, A.E. Gharavi and H. Chaimovich (Brazil, USA) 225

Thermosensitive polymer-modified liposomes that release contents around physiological temperature
K. Kono, R. Nakai, K. Morimoto and T. Takagishi (Japan) 239

Mutagenesis of glutamate 820 of the gastric H^+,K^+-ATPase α-subunit to aspartate decreases the apparent ATP affinity
H.P.H. Hermsen, H.G.P. Swarts, J.B. Koenderink and J.J.H.H.M. De Pont (The Netherlands) 251

South-east Asian ovalocytic (SAO) erythrocytes have a cold sensitive cation leak: implications for in vitro studies on stored SAO red cells
L.J. Bruce, S.M. Ring, K. Ridgwell, D.M. Reardon, C.A. Seymour, H.M. Van Dort, P.S. Low and M.J.A. Tanner (UK, USA) 258

Mechanical stress induces release of ATP from Ehrlich ascites tumor cells
S. Pedersen, S.F. Pedersen, B. Nilius, I.H. Lambert and E.K. Hoffmann (Belgium, Denmark) 271

Hydration and stability of sulfatide-containing phosphatidylethanolamine small unilamellar vesicles
X. Wu and Q.-T. Li (Singapore) 285

Production of surfactant protein C in the baculovirus expression system: the information required for correct folding and palmitoylation of SP-C is contained within the mature sequence
E.J.A. Veldhuizen, J.J. Batenburg, G. Vandenbussche, G. Putz, L.M.G. van Golde and H.P. Haagsman (Austria, Belgium, The Netherlands) 295

Angiotensin II activates the ouabain-insensitive Na^+-ATPase from renal proximal tubules through a G-protein
L.B.A. Rangel, C. Caruso-Neves, L.S. Lara, F.L. Brasil and A.G. Lopes (Brazil) 309

Further characterization of ATP-initiated calcification by matrix vesicles isolated from rachitic rat cartilage
H.H.T. Hsu, N.P. Camacho and H.C. Anderson (USA) 320

A ^{1}H-NMR study of the permeation of glycolic acid through phospholipid membranes
R.G. Males and F.G. Herring (Canada) 333

Target-cell specificity of fusogenic liposomes: Membrane fusion-mediated macromolecule delivery into human blood mononuclear cells
A. Watabe, T. Yamaguchi, T. Kawanishi, E. Uchida, A. Eguchi, H. Mizuguchi, T. Mayumi, M. Nakanishi and T. Hayakawa (Japan) 339

The internal calcium concentration of human platelets increases during chilling
A.E. Oliver, F. Tablin, N.J. Walker and J.H. Crowe (USA) 349

Passive anion transport through the chloroplast inner envelope membrane measured by osmotic swelling of intact chloroplasts
B. Fuks and F. Homblé (Belgium) 361

Author Index 370

CONTENTS DIRECT

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. The quickest way to register for **ContentsDirect** is via the World Wide Web at: **www.elsevier.nl/locate/ContentsDirect**.
If you don't have access to the WWW you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk specifying the title of the publication you wish to register for.
The tables of contents are also available on the Elsevier Science website at: www.elsevier.nl or www.elsevier.com or www.elsevier.co.jp